

Phifertex Elastomeric Blend

SDS Number: PI-SDS-T707

Revision Date: 8/17/2018

Page 1 of 5

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

PHIFER INCORPORATED
P.O. Box 1700
Tuscaloosa, AL 35403

Phone: 205/345-2120
Web: www.Phifer.com

Product Name: Phifertex Elastomeric Blend
Revision Date: 8/17/2018
Version: 4
SDS Number: PI-SDS-T707
Product Code: PI-SDS-T707
Product Use: Outdoor furniture fabric

2 HAZARDS IDENTIFICATION

Route of Entry: Eyes; Ingestion; Inhalation; Skin

Inhalation: Short-term harmful health effects are not expected from vapor generated during normal use at ambient temperature.

Skin Contact: Fibers in core yarn may irritate skin

Eye Contact: May cause irritation.

Ingestion: Consult physician

GHS Precautionary Statements:

P281 - Use personal protective equipment as required.
P337 - If eye irritation persists: flush with water

Phifertex Elastomeric Blend

SDS Number: PI-SDS-T707

Revision Date: 8/17/2018

Page 2 of 5

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

	<u>WT. %</u>	<u>CAS Registry #</u>
Polyester Core Yarn	16-20	NA
Vinyl Coating	44-48	NA
Monofilament	34-38	NA
Thermoplastic Rubber Resin		

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200):

OSHA EXPOSURE LIMITS 8 hrs. TWA (ppm)

	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Polyester Core Yarn:	no restriction	--
Vinyl Coating:	not determined	--
Monofilament		
Thermoplastic Rubber Resin:	not determined	--

4 FIRST AID MEASURES

Inhalation: If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.

Skin Contact: Promptly flush skin with water until all chemical is removed.

Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation.

Ingestion: Not a direct hazard.

5 FIRE FIGHTING MEASURES

Flash Point: N/A

Flash Point Method: N/A

Burning Rate: Will not burn in the absence of an independent flame source.

Autoignition Temp: N/A

LEL: N/A

UEL: N/A

Use foam, dry chemical, or water fog.

Wear SCBA and appropriate PPE when exposed to products of decomposition.

6 ACCIDENTAL RELEASE MEASURES

This product requires no special spill handling procedures.

Phifertex Elastomeric Blend

SDS Number: PI-SDS-T707

Revision Date: 8/17/2018

Page 3 of 5

7 HANDLING AND STORAGE

Handling Precautions: Keep away from sources of ignition.

Storage Requirements: Store at ambient temperature at atmospheric pressure.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: General mechanical room ventilation is expected to be satisfactory.

Personal Protective

Equip: Not required for intended use.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Textured fabric of varying colors.

Physical State: Solid

Odor: New vinyl

Solubility: Insoluble in water

Viscosity: Solid

10 STABILITY AND REACTIVITY

Stability: Product is stable under normal conditions.

Conditions to Avoid: Oxidation promoting conditions (Heat, Sunlight and Air).

Materials to Avoid: Strong Oxidizing Agents.

Hazardous

Decomposition: Combustion will produce CO₂, CO, HCN, and other hazardous products.

Hazardous

Polymerization: Will not occur.

11 TOXICOLOGICAL INFORMATION

Data not available

12 ECOLOGICAL INFORMATION

Data not available

13 DISPOSAL CONSIDERATIONS

If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under

Phifertex Elastomeric Blend

SDS Number: PI-SDS-T707

Revision Date: 8/17/2018

Page 4 of 5

40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D.

As a non-hazardous waste, it should be disposed of in accordance with local, state and federal regulations.

14 TRANSPORT INFORMATION

DOT Class: Not regulated #

Not regulated by DOT.

15 REGULATORY INFORMATION

TSCA (Toxic Substance Control Act)

Components of this product are listed on the TSCA inventory.

CERCLA (Comprehensive Response Compensation, and Liability Act)

NOT reportable

SARA TITLE III (Superfund Amendments and Reauthorization Act)

313/312 Hazard categories:

None.

313 Reportable Ingredients:

None.

16 OTHER INFORMATION

THE INFORMATION IN THIS SAFETY DATA SHEET SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. PHIFER INCORPORATED BELIEVES THIS INFORMATION TO BE RELIABLE AND UP-TO-DATE AS OF THE DATE OF PUBLICATION, BUT MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS SAFETY DATA SHEET IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT PHIFER INCORPORATED AT THE NUMBER LISTED BELOW TO MAKE CERTAIN THAT THIS SHEET IS CURRENT.

PHIFER INCORPORATED
P.O. BOX 1700
TUSCALOOSA, AL 35403

(205) 345-2120

Phifertex Elastomeric Blend

SDS Number: PI-SDS-T707

Revision Date: 8/17/2018

Page 5 of 5



PRODUCT CERTIFIED FOR
LOW CHEMICAL EMISSIONS
UL.COM/GG
UL 2818



Phifertex Blend

SDS Number: PI-SDS-T706

Revision Date: 8/17/2018

Page 1 of 5

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

PHIFER INCORPORATED
P.O. Box 1700
Tuscaloosa, AL 35403

Phone: 205/345-2120
Web: www.Phifer.com

Product Name: Phifertex Blend
Revision Date: 8/17/2018
Version: 4
SDS Number: PI-SDS-T706
Product Code: PI-SDS-T706
Product Use: Outdoor furniture fabric

2 HAZARDS IDENTIFICATION

Route of Entry: Eyes; Ingestion; Inhalation; Skin

Inhalation: Short-term harmful health affects are not expected from vapor generated during normal use at ambient temperature.

Skin Contact: Fibers in core yarn may irritate skin

Eye Contact: May cause irritation.

Ingestion: Consult physician

GHS Precautionary Statements:

- P281 - Use personal protective equipment as required.
- P337 - If eye irritation persists: flush with water

Phifertex Blend

SDS Number: PI-SDS-T706

Revision Date: 8/17/2018

Page 2 of 5

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

	<u>WT. %</u>	<u>CAS Registry #</u>
Polyester Core Yarn	21-25	NA
Vinyl Coating	54-58	NA
Thermoplastic Poly-Olefin Yarn	18-23	NA

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200):

	OSHA EXPOSURE LIMITS 8 hrs. TWA (ppm)	
	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Polyester Core Yarn:	no restriction	--
Vinyl Coating:	not determined	--
Thermoplastic Poly-Olefin Yarn	not determined	--

4 FIRST AID MEASURES

Inhalation: If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.

Skin Contact: Promptly flush skin with water until all chemical is removed.

Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation.

Ingestion: Not a direct hazard.

5 FIRE FIGHTING MEASURES

Flash Point: N/A

Flash Point Method: N/A

Burning Rate: Will not burn in the absence of an independent flame source.

Autoignition Temp: N/A

LEL: N/A

UEL: N/A

Use foam, dry chemical, or water fog.

Wear SCBA and appropriate PPE when exposed to products of decomposition.

6 ACCIDENTAL RELEASE MEASURES

This product requires no special spill handling procedures.

Phifertex Blend

SDS Number: PI-SDS-T706

Revision Date: 8/17/2018

Page 3 of 5

7 HANDLING AND STORAGE

Handling Precautions: Keep away from sources of ignition.

Storage Requirements: Store at ambient temperature at atmospheric pressure.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: General mechanical room ventilation is expected to be satisfactory.

Personal Protective

Equip: Not required for intended use.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Textured fabric of varying colors.

Physical State: Solid

Odor: New vinyl

Solubility: Insoluble in water

Viscosity: Solid

10 STABILITY AND REACTIVITY

Stability: Product is stable under normal conditions.

Conditions to Avoid: Oxidation promoting conditions (Heat, Sunlight and Air).

Materials to Avoid: Strong Oxidizing Agents.

Hazardous

Decomposition: Combustion will produce CO₂, CO, HCN, and other hazardous products.

Hazardous

Polymerization: Will not occur.

11 TOXICOLOGICAL INFORMATION

Data not available

12 ECOLOGICAL INFORMATION

Data not available

13 DISPOSAL CONSIDERATIONS

If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under

Phifertex Blend

SDS Number: PI-SDS-T706

Revision Date: 8/17/2018

Page 4 of 5

40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D.

As a non-hazardous waste, it should be disposed of in accordance with local, state and federal regulations.

14

TRANSPORT INFORMATION

DOT Class: Not regulated #

Not regulated by DOT.

15

REGULATORY INFORMATION

TSCA (Toxic Substance Control Act)

Components of this product are listed on the TSCA inventory.

CERCLA (Comprehensive Response Compensation, and Liability Act)

NOT reportable

SARA TITLE III (Superfund Amendments and Reauthorization Act)

313/312 Hazard categories:

None.

313 Reportable Ingredients:

None.

16

OTHER INFORMATION

THE INFORMATION IN THIS SAFETY DATA SHEET SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. PHIFER INCORPORATED BELIEVES THIS INFORMATION TO BE RELIABLE AND UP-TO-DATE AS OF THE DATE OF PUBLICATION, BUT MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS SAFETY DATA SHEET IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT PHIFER INCORPORATED AT THE NUMBER LISTED BELOW TO MAKE CERTAIN THAT THIS SHEET IS CURRENT.

PHIFER INCORPORATED
P.O. BOX 1700
TUSCALOOSA, AL 35403

(205) 345-2120

Phifertex Blend

SDS Number: PI-SDS-T706

Revision Date: 8/17/2018

Page 5 of 5



PRODUCT CERTIFIED FOR
LOW CHEMICAL EMISSIONS
UL.COM/GG
UL 2818



Phifertex BIO

SDS Number: PI-SDS-T710

Revision Date: 8/17/2018

Page 1 of 5

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

PHIFER INCORPORATED
P.O. Box 1700
Tuscaloosa, AL 35403

Phone: 205/345-2120
Web: www.Phifer.com

Product Name: Phifertex BIO
Revision Date: 8/17/2018
Version: 3
SDS Number: PI-SDS-T710
Product Code: PI-SDS-T710
Product Use: Sun Control

2 HAZARDS IDENTIFICATION

Route of Entry: Eyes; Ingestion; Inhalation; Skin

Inhalation: Short-term harmful health affects are not expected from vapor generated during normal use at ambient temperature.

Skin Contact: Fibers in core yarn may irritate skin

Eye Contact: May cause irritation.

Ingestion: Consult physician

GHS Precautionary Statements:

P281 - Use personal protective equipment as required.

P337 - If eye irritation persists: flush with water

Phifertex BIO

SDS Number: PI-SDS-T710

Revision Date: 8/17/2018

Page 2 of 5

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

	<u>WT. %</u>	<u>CAS Registry #</u>
Polyester Core Yarn	27-32	NA
Vinyl Coating Made With Dow Ecolibrium Bio-Based Plasticizers	68-73	NA

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200):

OSHA EXPOSURE LIMITS 8 hrs. TWA (ppm)

	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Polyester Core Yarn:	no restriction	--
Vinyl Coating:	not determined	--

4 FIRST AID MEASURES

Inhalation: If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.

Skin Contact: Promptly flush skin with water until all chemical is removed.

Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation.

Ingestion: Not a direct hazard.

5 FIRE FIGHTING MEASURES

Flash Point: N/A

Flash Point Method: N/A

Burning Rate: Will not burn in the absence of an independent flame source.

Autoignition Temp: N/A

LEL: N/A

UEL: N/A

Use foam, dry chemical, or water fog.

Wear SCBA and appropriate PPE when exposed to products of decomposition.

6 ACCIDENTAL RELEASE MEASURES

This product requires no special spill handling procedures.

7 HANDLING AND STORAGE

Handling Precautions: Keep away from sources of ignition.

Storage Requirements: Store at ambient temperature at atmospheric pressure.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: General mechanical room ventilation is expected to be satisfactory.

Personal Protective Equip: Not required for intended use.

Equip:

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Textured fabric of varying colors.

Physical State: Solid

Solubility: Insoluble in water

Viscosity: Solid

10 STABILITY AND REACTIVITY

Stability: Product is stable under normal conditions.

Conditions to Avoid: Oxidation promoting conditions (Heat, Sunlight and Air).

Materials to Avoid: Strong Oxidizing Agents.

Hazardous

Decomposition: Combustion will produce CO₂, CO, HCN, and other hazardous products.

Hazardous

Polymerization: Will not occur.

11 TOXICOLOGICAL INFORMATION

Data not available

12 ECOLOGICAL INFORMATION

Data not available

13 DISPOSAL CONSIDERATIONS

If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D.

As a non-hazardous waste, it should be disposed of in accordance with local, state and federal regulations.

14 TRANSPORT INFORMATION

DOT Class: Not regulated #

Not regulated by DOT.

15 REGULATORY INFORMATION

TSCA (Toxic Substance Control Act)

Components of this product are listed on the TSCA inventory.

CERCLA (Comprehensive Response Compensation, and Liability Act)

NOT reportable

SARA TITLE III (Superfund Amendments and Reauthorization Act)

313/312 Hazard categories:

None.

313 Reportable Ingredients:

None.

THE INFORMATION IN THIS SAFETY DATA SHEET SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. PHIFER INCORPORATED BELIEVES THIS INFORMATION TO BE RELIABLE AND UP-TO-DATE AS OF THE DATE OF PUBLICATION, BUT MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS SAFETY DATA SHEET IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT PHIFER INCORPORATED AT THE NUMBER LISTED BELOW TO MAKE CERTAIN THAT THIS SHEET IS CURRENT.

PHIFER INCORPORATED
P.O. BOX 1700
TUSCALOOSA, AL 35403

(205) 345-2120



PRODUCT CERTIFIED FOR
LOW CHEMICAL EMISSIONS
UL.COM/GG
UL 2818



Phifertex

SDS Number: PI-SDS-T705

Revision Date: 8/17/2018

Page 1 of 5

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

PHIFER INCORPORATED
P.O. Box 1700
Tuscaloosa, AL 35403

Phone: 205/345-2120
Web: www.Phifer.com

Product Name: Phifertex
Revision Date: 8/17/2018
Version: 5
SDS Number: PI-SDS-T705
Product Code: PI-SDS-T705
Product Use: Outdoor furniture

2 HAZARDS IDENTIFICATION

Route of Entry: Eyes; Ingestion; Inhalation; Skin

Inhalation: Short-term harmful health affects are not expected from vapor generated during normal use at ambient temperature.

Skin Contact: Fibers in core yarn may irritate skin

Eye Contact: May cause irritation.

Ingestion: Consult physician

GHS Precautionary Statements:

P281 - Use personal protective equipment as required.
P337 - If eye irritation persists: flush with water

Phifertex

SDS Number: PI-SDS-T705

Revision Date: 8/17/2018

Page 2 of 5

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

	<u>WT. %</u>	<u>CAS Registry #</u>
Polyester Core Yarn	27-32	NA
Vinyl Coating	68-73	NA

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200):

OSHA EXPOSURE LIMITS 8 hrs. TWA (ppm)

	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Polyester Core Yarn:	no restriction	--
Vinyl Coating:	not determined	--

4 FIRST AID MEASURES

Inhalation: If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.

Skin Contact: Promptly flush skin with water until all chemical is removed.

Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation.

Ingestion: Not a direct hazard.

5 FIRE FIGHTING MEASURES

Flash Point:	N/A
Flash Point Method:	N/A
Burning Rate:	Will not burn in the absence of an independent flame source.
Autoignition Temp:	N/A
LEL:	N/A
UEL:	N/A

Use foam, dry chemical, or water fog.

Wear SCBA and appropriate PPE when exposed to products of decomposition.

6 ACCIDENTAL RELEASE MEASURES

This product requires no special spill handling procedures.

7 HANDLING AND STORAGE

Handling Precautions: Keep away from sources of ignition.

Storage Requirements: Store at ambient temperature at atmospheric pressure.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: General mechanical room ventilation is expected to be satisfactory.
Personal Protective Equip: Not required for intended use.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Textured fabric of varying colors.
Physical State: Solid
Odor: New vinyl
Solubility: Insoluble in water
Viscosity: Solid

10 STABILITY AND REACTIVITY

Stability: Product is stable under normal conditions.
Conditions to Avoid: Oxidation promoting conditions (Heat, Sunlight and Air).
Materials to Avoid: Strong Oxidizing Agents.
Hazardous Decomposition: Combustion will produce CO₂, CO, HCN, and other hazardous products.
Hazardous Polymerization: Will not occur.

11 TOXICOLOGICAL INFORMATION

Data not available

12 ECOLOGICAL INFORMATION

Data not available

13 DISPOSAL CONSIDERATIONS

If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D.

As a non-hazardous waste, it should be disposed of in accordance with local, state and federal regulations.

Phifertex

SDS Number: PI-SDS-T705

Revision Date: 8/17/2018

Page 4 of 5

14 TRANSPORT INFORMATION

DOT Class: Not regulated #

Not regulated by DOT.

15 REGULATORY INFORMATION

TSCA (Toxic Substance Control Act)

Components of this product are listed on the TSCA inventory.

CERCLA (Comprehensive Response Compensation, and Liability Act)

NOT reportable

SARA TITLE III (Superfund Amendments and Reauthorization Act)

313/312 Hazard categories:

None.

313 Reportable Ingredients:

None.

16 OTHER INFORMATION

THE INFORMATION IN THIS SAFETY DATA SHEET SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. PHIFER INCORPORATED BELIEVES THIS INFORMATION TO BE RELIABLE AND UP-TO-DATE AS OF THE DATE OF PUBLICATION, BUT MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS SAFETY DATA SHEET IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT PHIFER INCORPORATED AT THE NUMBER LISTED BELOW TO MAKE CERTAIN THAT THIS SHEET IS CURRENT.

PHIFER INCORPORATED
P.O. BOX 1700
TUSCALOOSA, AL 35403

(205) 345-2120

Phifertex

SDS Number: PI-SDS-T705

Revision Date: 8/17/2018

Page 5 of 5



PRODUCT CERTIFIED FOR
LOW CHEMICAL EMISSIONS
UL.COM/GG
UL 2818

PROTECTION THAT LIVES ON



MICROBAN®

The Microban logo consists of a stylized shield shape with a blue top half and an orange bottom half, containing a white circle with a blue dot.

GeoBella

SDS Number: PI-SDS-T700

Revision Date: 8/17/2018

Page 1 of 5

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

PHIFER INCORPORATED
P.O. Box 1700
Tuscaloosa, AL 35403

Phone: 205/345-2120
Web: www.Phifer.com

Product Name: GeoBella
Revision Date: 8/17/2018
Version: 3
SDS Number: PI-SDS-T700
Product Code: PI-SDS-T700

2 HAZARDS IDENTIFICATION

Route of Entry: Eyes; Ingestion; Inhalation; Skin

Inhalation: Short-term harmful health affects are not expected from vapor generated during normal use at ambient temperature.

Skin Contact: Fibers in core yarn may irritate skin

Eye Contact: May cause irritation.

Ingestion: Consult physician

GHS Precautionary Statements:

P281 - Use personal protective equipment as required.

P337 - If eye irritation persists: flush with water

GeoBella

SDS Number: PI-SDS-T700

Revision Date: 8/17/2018

Page 2 of 5

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

	<u>WT. %</u>	<u>CAS Registry #</u>
Olefin	100	NA

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200):

OSHA EXPOSURE LIMITS 8 hrs. TWA (ppm)
OSHA PEL ACGIH TLV

Olefin: not determined --

4 FIRST AID MEASURES

Inhalation: If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.

Skin Contact: Promptly flush skin with water until all chemical is removed.

Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation.

Ingestion: Not a direct hazard.

5 FIRE FIGHTING MEASURES

Flash Point: N/A

Flash Point Method: N/A

Burning Rate: Will not burn in the absence of an independent flame source.

Autoignition Temp: N/A

LEL: N/A

UEL: N/A

Use foam, dry chemical, or water fog.

Wear SCBA and appropriate PPE when exposed to products of decomposition.

6 ACCIDENTAL RELEASE MEASURES

This product requires no special spill handling procedures.

7 HANDLING AND STORAGE

Handling Precautions: Keep away from sources of ignition.

Storage Requirements: Store at ambient temperature at atmospheric pressure.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: General mechanical room ventilation is expected to be satisfactory.

Personal Protective

Equip: Not required for intended use.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Textured fabric of varying colors.

Physical State: Solid

Odor: Plastic

Solubility: Insoluble in water

Viscosity: Solid

10 STABILITY AND REACTIVITY

Stability: Product is stable under normal conditions.

Conditions to Avoid: Oxidation promoting conditions (Heat, Sunlight and Air).

Materials to Avoid: Strong Oxidizing Agents.

Hazardous

Decomposition: Combustion will produce CO₂, CO, HCN, and other hazardous products.

Hazardous

Polymerization: Will not occur.

11 TOXICOLOGICAL INFORMATION

Data not available

12 ECOLOGICAL INFORMATION

Data not available

13 DISPOSAL CONSIDERATIONS

If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D.

As a non-hazardous waste, it should be disposed of in accordance with local, state and federal regulations.

14 TRANSPORT INFORMATION

DOT Class: Not regulated #

Not regulated by DOT.

15 REGULATORY INFORMATION

TSCA (Toxic Substance Control Act)

Components of this product are listed on the TSCA inventory.

CERCLA (Comprehensive Response Compensation, and Liability Act)

NOT reportable

SARA TITLE III (Superfund Amendments and Reauthorization Act)

313/312 Hazard categories:

None.

313 Reportable Ingredients:

None.

THE INFORMATION IN THIS SAFETY DATA SHEET SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. PHIFER INCORPORATED BELIEVES THIS INFORMATION TO BE RELIABLE AND UP-TO-DATE AS OF THE DATE OF PUBLICATION, BUT MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS SAFETY DATA SHEET IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT PHIFER INCORPORATED AT THE NUMBER LISTED BELOW TO MAKE CERTAIN THAT THIS SHEET IS CURRENT.

PHIFER INCORPORATED
P.O. BOX 1700
TUSCALOOSA, AL 35403

(205) 345-2120



PRODUCT CERTIFIED FOR
LOW CHEMICAL EMISSIONS
UL.COM/GG
UL 2818

Awntex

SDS Number: PI-SDS-T725

Revision Date: 8/17/2018

Page 1 of 5

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

PHIFER INCORPORATED
P.O. Box 1700
Tuscaloosa, AL 35403

Phone: 205/345-2120
Web: www.Phifer.com

Product Name: Awntex
Revision Date: 8/17/2018
Version: 4
SDS Number: PI-SDS-T725
Product Code: PI-SDS-T725
Product Use: Awning/sun control

2 HAZARDS IDENTIFICATION

Route of Entry: Eyes; Ingestion; Inhalation; Skin

Inhalation: Short-term harmful health affects are not expected from vapor generated during normal use at ambient temperature.

Skin Contact: Fibers in core yarn may irritate skin

Eye Contact: May cause irritation.

Ingestion: Consult physician

GHS Precautionary Statements:

P281 - Use personal protective equipment as required.

P337 - If eye irritation persists: flush with water

Awntex

SDS Number: PI-SDS-T725

Revision Date: 8/17/2018

Page 2 of 5

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

	<u>WT. %</u>	<u>CAS Registry #</u>
Polyester Core Yarn	27-32	NA
Vinyl Coating	68-73	NA

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200):

OSHA EXPOSURE LIMITS 8 hrs. TWA (ppm)

	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Polyester Core Yarn:	no restriction	--
Vinyl Coating:	not determined	--

4 FIRST AID MEASURES

Inhalation: If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.

Skin Contact: Promptly flush skin with water until all chemical is removed.

Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation.

Ingestion: Not a direct hazard.

5 FIRE FIGHTING MEASURES

Flash Point:	N/A
Flash Point Method:	N/A
Burning Rate:	Will not burn in the absence of an independent flame source.
Autoignition Temp:	N/A
LEL:	N/A
UEL:	N/A

Use foam, dry chemical, or water fog.

Wear SCBA and appropriate PPE when exposed to products of decomposition.

6 ACCIDENTAL RELEASE MEASURES

This product requires no special spill handling procedures.

7 HANDLING AND STORAGE

Handling Precautions: Keep away from sources of ignition.

Storage Requirements: Store at ambient temperature at atmospheric pressure.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: General mechanical room ventilation is expected to be satisfactory.
Personal Protective Equip: Not required for intended use.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Textured fabric of varying colors.
Physical State: Solid
Odor: New vinyl
Solubility: Insoluble in water
Viscosity: Solid

10 STABILITY AND REACTIVITY

Stability: Product is stable under normal conditions.
Conditions to Avoid: Oxidation promoting conditions (Heat, Sunlight and Air).
Materials to Avoid: Strong Oxidizing Agents.
Hazardous Decomposition: Combustion will produce CO₂, CO, HCN, and other hazardous products.
Hazardous Polymerization: Will not occur.

11 TOXICOLOGICAL INFORMATION

Data not available

12 ECOLOGICAL INFORMATION

Data not available

13 DISPOSAL CONSIDERATIONS

If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D.

As a non-hazardous waste, it should be disposed of in accordance with local, state and federal regulations.

14 TRANSPORT INFORMATION

DOT Class: Not regulated #

Not regulated by DOT.

15 REGULATORY INFORMATION

TSCA (Toxic Substance Control Act)

Components of this product are listed on the TSCA inventory.

CERCLA (Comprehensive Response Compensation, and Liability Act)

NOT reportable

SARA TITLE III (Superfund Amendments and Reauthorization Act)

313/312 Hazard categories:

None.

313 Reportable Ingredients:

None.

16 OTHER INFORMATION

THE INFORMATION IN THIS SAFETY DATA SHEET SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. PHIFER INCORPORATED BELIEVES THIS INFORMATION TO BE RELIABLE AND UP-TO-DATE AS OF THE DATE OF PUBLICATION, BUT MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS SAFETY DATA SHEET IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT PHIFER INCORPORATED AT THE NUMBER LISTED BELOW TO MAKE CERTAIN THAT THIS SHEET IS CURRENT.

PHIFER INCORPORATED
P.O. BOX 1700
TUSCALOOSA, AL 35403

(205) 345-2120

Awntex

SDS Number: PI-SDS-T725

Revision Date: 8/17/2018

Page 5 of 5



PRODUCT CERTIFIED FOR
LOW CHEMICAL EMISSIONS
UL.COM/GG
UL 2818

PROTECTION THAT LIVES ON
MICROBAN® 

Phifertex +

SDS Number: PI-SDS-T715

Revision Date: 8/17/2018

Page 1 of 5

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

PHIFER INCORPORATED
P.O. Box 1700
Tuscaloosa, AL 35403

Phone: 205/345-2120
Web: www.Phifer.com

Product Name: Phifertex +
Revision Date: 8/17/2018
Version: 4
SDS Number: PI-SDS-T715
Product Code: PI-SDS-T715
Product Use: Sun control

2 HAZARDS IDENTIFICATION

Route of Entry: Eyes; Ingestion; Inhalation; Skin

Inhalation: Short-term harmful health affects are not expected from vapor generated during normal use at ambient temperature.

Skin Contact: Fibers in core yarn may irritate skin

Eye Contact: May cause irritation.

Ingestion: Consult physician

GHS Precautionary Statements:

P281 - Use personal protective equipment as required.

P337 - If eye irritation persists: flush with water

Phifertex +

SDS Number: PI-SDS-T715

Revision Date: 8/17/2018

Page 2 of 5

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

	<u>WT. %</u>	<u>CAS Registry #</u>
Polyester Core Yarn	27-32	NA
Vinyl Coating	68-73	NA

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200):

OSHA EXPOSURE LIMITS 8 hrs. TWA (ppm)

	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Polyester Core Yarn:	no restriction	--
Vinyl Coating:	not determined	--

4 FIRST AID MEASURES

Inhalation: If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.

Skin Contact: Promptly flush skin with water until all chemical is removed.

Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation.

Ingestion: Not a direct hazard.

5 FIRE FIGHTING MEASURES

Flash Point:	N/A
Flash Point Method:	N/A
Burning Rate:	Will not burn in the absence of an independent flame source.
Autoignition Temp:	N/A
LEL:	N/A
UEL:	N/A

Use foam, dry chemical, or water fog.

Wear SCBA and appropriate PPE when exposed to products of decomposition.

6 ACCIDENTAL RELEASE MEASURES

This product requires no special spill handling procedures.

7 HANDLING AND STORAGE

Handling Precautions: Keep away from sources of ignition.

Storage Requirements: Store at ambient temperature at atmospheric pressure.

Phifertex +

SDS Number: PI-SDS-T715

Revision Date: 8/17/2018

Page 3 of 5

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: General mechanical room ventilation is expected to be satisfactory.
Personal Protective Equip: Not required for intended use.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Textured fabric of varying colors.
Physical State: Solid
Odor: New vinyl
Solubility: Insoluble in water
Viscosity: Solid

10 STABILITY AND REACTIVITY

Stability: Product is stable under normal conditions.
Conditions to Avoid: Oxidation promoting conditions (Heat, Sunlight and Air).
Materials to Avoid: Strong Oxidizing Agents.
Hazardous Decomposition: Combustion will produce CO₂, CO, HCN, and other hazardous products.
Hazardous Polymerization: Will not occur.

11 TOXICOLOGICAL INFORMATION

Data not available

12 ECOLOGICAL INFORMATION

Data not available

13 DISPOSAL CONSIDERATIONS

If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D.

As a non-hazardous waste, it should be disposed of in accordance with local, state and federal regulations.

Phifertex +

SDS Number: PI-SDS-T715

Revision Date: 8/17/2018

Page 4 of 5

14 TRANSPORT INFORMATION

DOT Class: Not regulated #

Not regulated by DOT.

15 REGULATORY INFORMATION

TSCA (Toxic Substance Control Act)

Components of this product are listed on the TSCA inventory.

CERCLA (Comprehensive Response Compensation, and Liability Act)

NOT reportable

SARA TITLE III (Superfund Amendments and Reauthorization Act)

313/312 Hazard categories:

None.

313 Reportable Ingredients:

None.

16 OTHER INFORMATION

THE INFORMATION IN THIS SAFETY DATA SHEET SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. PHIFER INCORPORATED BELIEVES THIS INFORMATION TO BE RELIABLE AND UP-TO-DATE AS OF THE DATE OF PUBLICATION, BUT MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS SAFETY DATA SHEET IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT PHIFER INCORPORATED AT THE NUMBER LISTED BELOW TO MAKE CERTAIN THAT THIS SHEET IS CURRENT.

PHIFER INCORPORATED
P.O. BOX 1700
TUSCALOOSA, AL 35403

(205) 345-2120

Phifertex +

SDS Number: PI-SDS-T715

Revision Date: 8/17/2018

Page 5 of 5



PRODUCT CERTIFIED FOR
LOW CHEMICAL EMISSIONS
UL.COM/GG
UL 2818

PROTECTION THAT LIVES ON
MICROBAN® 



Safety Data Sheet

Modular Flooring

SDS Number: PI-SDS-T720

Revision Date: 8/17/2018

Page 1 of 5

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

PHIFER INCORPORATED
P.O. Box 1700
Tuscaloosa, AL 35403

Phone: 205/345-2120
Web: www.Phifer.com

Product Name: Modular Flooring
Revision Date: 8/17/2018
Version: 3
SDS Number: PI-SDS-T720
Product Code: PI-SDS-T720
Product Use: Floor covering

2

HAZARDS IDENTIFICATION

Route of

Entry: Eyes; Ingestion; Inhalation; Skin

Inhalation: Short-term harmful health affects are not expected from vapor generated during normal use at ambient temperature.

Skin Contact: Fibers in core yarn may irritate skin

Eye Contact: May cause irritation.

Ingestion: Consult physician

GHS Precautionary Statements:

P281 - Use personal protective equipment as required.

P337 - If eye irritation persists: flush with water

Modular Flooring

SDS Number: PI-SDS-T720

Revision Date: 8/17/2018

Page 2 of 5

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

	<u>WT. %</u>	<u>CAS Registry #</u>
Fiberglass Core Yarn	6-27	NA
Vinyl Coating Made With Dow Ecolibrium Bio-Based Plasticizers 73-94		NA

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200):

OSHA EXPOSURE LIMITS 8 hrs. TWA (ppm)

	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Fiberglass Core Yarn:	no restriction	--
Vinyl Coating:	not determined	--

4 FIRST AID MEASURES

Inhalation: If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.

Skin Contact: Promptly flush skin with water until all chemical is removed.

Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation.

Ingestion: Not a direct hazard.

5 FIRE FIGHTING MEASURES

Flash Point: N/A

Flash Point Method: N/A

Burning Rate: Will not burn in the absence of an independent flame source.

Autoignition Temp: N/A

LEL: N/A

UEL: N/A

Use foam, dry chemical, or water fog.

Wear SCBA and appropriate PPE when exposed to products of decomposition.

6 ACCIDENTAL RELEASE MEASURES

This product requires no special spill handling procedures.

Modular Flooring

SDS Number: PI-SDS-T720

Revision Date: 8/17/2018

Page 3 of 5

7 HANDLING AND STORAGE

Handling Precautions: Keep away from sources of ignition.

Storage Requirements: Store at ambient temperature at atmospheric pressure.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: General mechanical room ventilation is expected to be satisfactory.

Personal Protective

Equip: Not required for intended use.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Textured fabric of varying colors.

Physical State: Solid

Solubility: Insoluble in water

Viscosity: Solid

10 STABILITY AND REACTIVITY

Stability: Product is stable under normal conditions.

Conditions to Avoid: Oxidation promoting conditions (Heat, Sunlight and Air).

Materials to Avoid: Strong Oxidizing Agents.

Hazardous

Decomposition: Combustion will produce CO₂, CO, HCN, and other hazardous products.

Hazardous

Polymerization: Will not occur.

11 TOXICOLOGICAL INFORMATION

Data not available

12 ECOLOGICAL INFORMATION

Data not available

13 DISPOSAL CONSIDERATIONS

If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D.

As a non-hazardous waste, it should be disposed of in accordance with local, state and federal regulations.

14 TRANSPORT INFORMATION

DOT Class: Not regulated #

Not regulated by DOT.

15 REGULATORY INFORMATION

TSCA (Toxic Substance Control Act)

Components of this product are listed on the TSCA inventory.

CERCLA (Comprehensive Response Compensation, and Liability Act)

NOT reportable

SARA TITLE III (Superfund Amendments and Reauthorization Act)

313/312 Hazard categories:

None.

313 Reportable Ingredients:

None.

THE INFORMATION IN THIS SAFETY DATA SHEET SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. PHIFER INCORPORATED BELIEVES THIS INFORMATION TO BE RELIABLE AND UP-TO-DATE AS OF THE DATE OF PUBLICATION, BUT MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS SAFETY DATA SHEET IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT PHIFER INCORPORATED AT THE NUMBER LISTED BELOW TO MAKE CERTAIN THAT THIS SHEET IS CURRENT.

PHIFER INCORPORATED
P.O. BOX 1700
TUSCALOOSA, AL 35403

(205) 345-2120



PRODUCT CERTIFIED FOR
LOW CHEMICAL EMISSIONS
UL.COM/GG
UL 2818



Accent II WC2189

SDS Number: PI-SDS-T730

Revision Date: 8/17/2018

Page 1 of 5

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

PHIFER INCORPORATED
P.O. Box 1700
Tuscaloosa, AL 35403

Phone: 205/345-2120
Web: www.Phifer.com

Product Name: Accent II WC2189
Revision Date: 8/17/2018
Version: 3
SDS Number: PI-SDS-T730
Product Code: PI-SDS-T730
Product Use: Wallcovering

2

HAZARDS IDENTIFICATION

Route of Entry: Eyes; Ingestion; Inhalation; Skin

Inhalation: Short-term harmful health affects are not expected from vapor generated during normal use at ambient temperature.

Skin Contact: Fibers in core yarn may irritate skin

Eye Contact: May cause irritation.

Ingestion: Consult physician

GHS Precautionary Statements:

P281 - Use personal protective equipment as required.
P337 - If eye irritation persists: flush with water

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

	<u>WT. %</u>	<u>CAS Registry #</u>
Polyester Core Yarn	27-32	NA
Vinyl Coating	68-73	NA

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200):

OSHA EXPOSURE LIMITS 8 hrs. TWA (ppm)

	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Polyester Core Yarn:	no restriction	--
Vinyl Coating:	not determined	--

4 FIRST AID MEASURES

Inhalation: If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.

Skin Contact: Promptly flush skin with water until all chemical is removed.

Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation.

Ingestion: Not a direct hazard.

5 FIRE FIGHTING MEASURES

Flash Point:	N/A
Flash Point Method:	N/A
Burning Rate:	Will not burn in the absence of an independent flame source.
Autoignition Temp:	N/A
LEL:	N/A
UEL:	N/A

Use foam, dry chemical, or water fog.

Wear SCBA and appropriate PPE when exposed to products of decomposition.

6 ACCIDENTAL RELEASE MEASURES

This product requires no special spill handling procedures.

7 HANDLING AND STORAGE

Handling Precautions: Keep away from sources of ignition.

Storage Requirements: Store at ambient temperature at atmospheric pressure.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: General mechanical room ventilation is expected to be satisfactory.
Personal Protective Equip: Not required for intended use.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Textured fabric of varying colors.
Physical State: Solid
Odor: New vinyl
Solubility: Insoluble in water
Viscosity: Solid

10 STABILITY AND REACTIVITY

Stability: Product is stable under normal conditions.
Conditions to Avoid: Oxidation promoting conditions (Heat, Sunlight and Air).
Materials to Avoid: Strong Oxidizing Agents.
Hazardous Decomposition: Combustion will produce CO₂, CO, HCN, and other hazardous products.
Hazardous Polymerization: Will not occur.

11 TOXICOLOGICAL INFORMATION

Data not available

12 ECOLOGICAL INFORMATION

Data not available

13 DISPOSAL CONSIDERATIONS

If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D.

As a non-hazardous waste, it should be disposed of in accordance with local, state and federal regulations.

14 TRANSPORT INFORMATION

DOT Class: Not regulated #

Not regulated by DOT.

15 REGULATORY INFORMATION

TSCA (Toxic Substance Control Act)

Components of this product are listed on the TSCA inventory.

CERCLA (Comprehensive Response Compensation, and Liability Act)

NOT reportable

SARA TITLE III (Superfund Amendments and Reauthorization Act)

313/312 Hazard categories:

None.

313 Reportable Ingredients:

None.

16 OTHER INFORMATION

THE INFORMATION IN THIS SAFETY DATA SHEET SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. PHIFER INCORPORATED BELIEVES THIS INFORMATION TO BE RELIABLE AND UP-TO-DATE AS OF THE DATE OF PUBLICATION, BUT MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS SAFETY DATA SHEET IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT PHIFER INCORPORATED AT THE NUMBER LISTED BELOW TO MAKE CERTAIN THAT THIS SHEET IS CURRENT.

PHIFER INCORPORATED
P.O. BOX 1700
TUSCALOOSA, AL 35403

(205) 345-2120

Accent II WC2189

SDS Number: PI-SDS-T730

Revision Date: 8/17/2018

Page 5 of 5



PRODUCT CERTIFIED FOR
LOW CHEMICAL EMISSIONS
UL.COM/GG
UL 2818

PROTECTION THAT LIVES ON



MICROBAN®

The Microban logo consists of a stylized shield shape composed of three curved segments in blue, orange, and white, with a white circle in the center.